_ _

Safety data sheet according to 1907/2006/EC, Article 31



Printing date 25.05.2023

Version number 1

Revision: 17.05.2023

SECTION 1: Iden undertaking	tification of the substance/mixture and of the company/	
· 1.1 Product identifier		
• Trade name: <u>illbruck F</u>		
No further relevant infor	uses of the substance or mixture and uses advised against	
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Tremco CPG Netherlands B.V. Vlietskade 1032, 4241 WC Arkel T: +31 (0) 183568000, F: +31 (0) 183568100 msds@cpg-europe.com 		
 Further information obtainable from: Tremco CPG s.r.o. Slezska 2526/113, CZ - 130 00 Praha 3 T: +420 (0) 296565333, F: +420 (0) 296565300 www.cpg-europe.com, prodej@cpg-europe.com 		
· 1.4 Emergency telepho		
During office hours tel. centre.	: +420 (0) 296565333. At all other times please contact your national poisoning	
•		
Centre. SECTION 2: Hazaro 2.1 Classification of th	Is identification e substance or mixture	
Centre. SECTION 2: Hazaro 2.1 Classification of th Classification accordin	Is identification e substance or mixture ng to Regulation (EC) No 1272/2008	
centre. SECTION 2: Hazard · 2.1 Classification of th · Classification accordin Aerosol 1 H222-H2	Is identification e substance or mixture ng to Regulation (EC) No 1272/2008 229 Extremely flammable aerosol. Pressurised container: May burst if heated.	
centre. SECTION 2: Hazard · 2.1 Classification of th · Classification accordin Aerosol 1 H222-H2 Acute Tox. 4 H332	Is identification e substance or mixture ng to Regulation (EC) No 1272/2008 229 Extremely flammable aerosol. Pressurised container: May burst if heated. Harmful if inhaled.	
centre. SECTION 2: Hazaro · 2.1 Classification of th · Classification accordin Aerosol 1 H222-H2 Acute Tox. 4 H332 Skin Irrit. 2 H315	Is identification e substance or mixture ng to Regulation (EC) No 1272/2008 229 Extremely flammable aerosol. Pressurised container: May burst if heated. Harmful if inhaled. Causes skin irritation.	
centre. SECTION 2: Hazaro 2.1 Classification of th Classification accordin Aerosol 1 H222-H2 Acute Tox. 4 H332 Skin Irrit. 2 H315 Eye Irrit. 2 H319	Is identification e substance or mixture ng to Regulation (EC) No 1272/2008 229 Extremely flammable aerosol. Pressurised container: May burst if heated. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation.	
centre. SECTION 2: Hazaro · 2.1 Classification of th · Classification accordin Aerosol 1 H222-H2 Acute Tox. 4 H332 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Resp. Sens. 1 H334	Is identification e substance or mixture ng to Regulation (EC) No 1272/2008 229 Extremely flammable aerosol. Pressurised container: May burst if heated. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
centre. SECTION 2: Hazaro 2.1 Classification of th Classification accordin Aerosol 1 H222-H2 Acute Tox. 4 H332 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Resp. Sens. 1 H334 Skin Sens. 1 H317	Is identification e substance or mixture ng to Regulation (EC) No 1272/2008 229 Extremely flammable aerosol. Pressurised container: May burst if heated. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.	
centre. SECTION 2: Hazaro · 2.1 Classification of th · Classification accordin Aerosol 1 H222-H2 Acute Tox. 4 H332 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Resp. Sens. 1 H334 Skin Sens. 1 H317 Carc. 2 H351	Is identification e substance or mixture ng to Regulation (EC) No 1272/2008 229 Extremely flammable aerosol. Pressurised container: May burst if heated. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing cancer.	
centre. SECTION 2: Hazaro 2.1 Classification of th Classification accordin Aerosol 1 H222-H2 Acute Tox. 4 H332 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Resp. Sens. 1 H334 Skin Sens. 1 H334 Skin Sens. 1 H317 Carc. 2 H351 STOT SE 3 H335	Is identification e substance or mixture fig to Regulation (EC) No 1272/2008 229 Extremely flammable aerosol. Pressurised container: May burst if heated. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation.	
centre. SECTION 2: Hazaro 2.1 Classification of th Classification accordin Aerosol 1 H222-H2 Acute Tox. 4 H332 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Resp. Sens. 1 H334 Skin Sens. 1 H317 Carc. 2 H351 STOT SE 3 H335 STOT RE 2 H373	Is identification e substance or mixture ng to Regulation (EC) No 1272/2008 229 Extremely flammable aerosol. Pressurised container: May burst if heated. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing cancer.	
centre. SECTION 2: Hazaro 2.1 Classification of th Classification accordin Aerosol 1 H222-H2 Acute Tox. 4 H332 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Resp. Sens. 1 H334 Skin Sens. 1 H317 Carc. 2 H351 STOT SE 3 H335 STOT RE 2 H373 Carc. 2 H373	Is identification e substance or mixture og to Regulation (EC) No 1272/2008 229 Extremely flammable aerosol. Pressurised container: May burst if heated. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure.	
centre. SECTION 2: Hazaro · 2.1 Classification of th · Classification accordin Aerosol 1 H222-H2 Acute Tox. 4 H332 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Resp. Sens. 1 H334 Skin Sens. 1 H317 Carc. 2 H351 STOT SE 3 H335 STOT RE 2 H373 · 2.2 Label elements · Labelling according to	Is identification e substance or mixture by to Regulation (EC) No 1272/2008 229 Extremely flammable aerosol. Pressurised container: May burst if heated. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure.	
centre. SECTION 2: Hazaro · 2.1 Classification of th · Classification accordin Aerosol 1 H222-H2 Acute Tox. 4 H332 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Resp. Sens. 1 H334 Skin Sens. 1 H317 Carc. 2 H351 STOT SE 3 H335 STOT RE 2 H373 · 2.2 Label elements · Labelling according to	Is identification e substance or mixture by to Regulation (EC) No 1272/2008 229 Extremely flammable aerosol. Pressurised container: May burst if heated. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure. Regulation (EC) No 1272/2008 and labelled according to the CLP regulation. (Contd. on page 2)	
centre. SECTION 2: Hazaro · 2.1 Classification of th · Classification accordin Aerosol 1 H222-H2 Acute Tox. 4 H332 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Resp. Sens. 1 H334 Skin Sens. 1 H317 Carc. 2 H351 STOT SE 3 H335 STOT RE 2 H373 · 2.2 Label elements · Labelling according to	Is identification e substance or mixture by to Regulation (EC) No 1272/2008 229 Extremely flammable aerosol. Pressurised container: May burst if heated. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure.	
centre. SECTION 2: Hazaro · 2.1 Classification of th · Classification accordin Aerosol 1 H222-H2 Acute Tox. 4 H332 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Resp. Sens. 1 H334 Skin Sens. 1 H317 Carc. 2 H351 STOT SE 3 H335 STOT RE 2 H373 · 2.2 Label elements · Labelling according to	Is identification e substance or mixture by to Regulation (EC) No 1272/2008 229 Extremely flammable aerosol. Pressurised container: May burst if heated. Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure. Regulation (EC) No 1272/2008 and labelled according to the CLP regulation. (Contd. on page 2)	



Revision: 17.05.2023

Printing date 25.05.2023

Version number 1

Trade name: illbruck FM320

(Contd. of page 1)

Hazard pictograms



- · Signal word Danger
- · Contains:
- diphenylmethanediisocyanate, isomers and homologues

· Hazard statements

- H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
- H332 Harmful if inhaled.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H317 May cause an allergic skin reaction.
- H351 Suspected of causing cancer.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

- P103 Read carefully and follow all instructions.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• Supplemental information:

Persons already sensitised to diisocyanates may develop allergic reactions when using this product.

Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

EUH204 Contains isocyanates. May produce an allergic reaction.

As from 24 August 2023 adequate training is required before industrial or professional use. feica.eu/PUinfo:



(Contd. on page 3)



Printing date 25.05.2023

Version number 1

Revision: 17.05.2023

Trade name: illbruck FM320	
----------------------------	--

(Contd. of page 2)

List II

2.3 Other hazards

Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB:** Not applicable.

· Determination of endocrine-disrupting properties

CAS: 1244733-77-4 tris(2-chloro-1-methylethyl)phosphate

Description: Active substance with propellant Dangerous components:		
CAS: 9016-87-9 EC number: 618-498-9	diphenylmethanediisocyanate, isomers and homologues Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315: $C \ge 5 \%$ Eye Irrit. 2; H319: $C \ge 5 \%$ Resp. Sens. 1; H334: $C \ge 0.1 \%$ STOT SE 3; H335: $C \ge 5 \%$	30-<50%
CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27-xxxx	isobutane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	5-<10%
CAS: 115-10-6 EINECS: 204-065-8 Reg.nr.: 01-2119472128-37-xxxx	dimethyl ether Flam. Gas 1A, H220; Press. Gas (Comp.), H280	5-<10%
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21-xxxx	propane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	5-<10%
CAS: 1244733-77-4 EC number: 807-935-0 Reg.nr.: 01-2119486772-26-xxxx	tris(2-chloro-1-methylethyl)phosphate Acute Tox. 4, H302; Aquatic Chronic 3, H412	1-<5%

(Contd. on page 4)

CS



Revision: 17.05.2023

Printing date 25.05.2023

Version number 1

Trade name: illbruck FM320

(Contd. of page 3) SECTION 4: First aid measures · 4.1 Description of first aid measures · General information: Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. Take affected persons out of danger area and lay down. • After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation. • After skin contact: If symptoms persist consult doctor. Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. Immediately remove all soiled and contaminated clothing After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: If symptoms persist consult doctor. · Information for doctor: No further relevant information available. · 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions Nausea · Hazards No further relevant information available. • 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. **SECTION 5: Firefighting measures** 5.1 Extinguishing media • Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water. · For safety reasons unsuitable extinguishing agents: Water with full jet - 5.2 Special hazards arising from the substance or mixture Carbon monoxide (CO) Carbon dioxide (CO2) Nitrogen oxides (NOx) Hydrogen cyanide (HCN) Formation of toxic gases is possible during heating or in case of fire. Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.: 5.3 Advice for firefighters · Protective equipment: Mouth respiratory protective device.

Wear self-contained respiratory protective device.

(Contd. on page 5)

CS



Revision: 17.05.2023

Printing date 25.05.2023

Version number 1

Trade name: illbruck FM320

(Contd. of page 4)

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to Section 13. Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Open and handle receptacle with care.
- Information about fire and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

The usual precautionary measures are to be adhered to when handling chemicals.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

· Information about storage in one common storage facility: Store away from water.

• Further information about storage conditions:

Keep container tightly sealed.

Do not seal receptacle gas tight.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

• 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 6)

CS



Revision: 17.05.2023

(Contd. of page 5)

Printing date 25.05.2023

Version number 1

Trade name: illbruck FM320

SECTIO	N 8: Expo	sure controls/personal protection	
· 8.1 Control parameters			
Ingredients with limit values that require monitoring at the workplace:			
CAS: 115	-10-6 dimet	hyl ether	
NPK (Cze		-term value: 2000 mg/m³	
		term value: 1000 mg/m³	
· Long tern			
	-	enylmethanediisocyanate, isomers and homologues	
Inhalative		0.05 mg/m3 (workers) (systemic and local effects)	
		0.025 mg/m3 (general public) (systemic and local effects)	
	-10-6 dimet	•	
Inhalative		1,894 mg/m3 (workers) (systemic effects)	
		471 mg/m3 (general public) (systemic effects)	
		ris(2-chloro-1-methylethyl)phosphate	
Oral	consumer	0.52 mg/kg/24h (general public) (systemic effects)	
Dermal	industrial	2.08 mg/kg/24h (workers) (systemic effects)	
	consumer	1.04 mg/kg/24h (general public) (systemic effects)	
Inhalative	industrial	5.82 mg/m3 (workers) (systemic effects)	
	consumer	1.46 mg/m3 (general public) (systemic effects)	
· Short terr	n effects		
CAS: 901	6-87-9 diph	enylmethanediisocyanate, isomers and homologues	
Oral	consumer	20 mg/kg/24h (consumers) (systemic effects)	
Dermal	industrial	50 mg/kg/24h (workers) (systemic and local effects)	
	consumer	25 mg/kg/24h (consumers) (systemic effects)	
Inhalative	industrial	0.1 mg/m3 (workers) (systemic and local effects)	
	consumer	0.05 mg/m3 (general public) (local effects)	
CAS: 124	4733-77-4 t	ris(2-chloro-1-methylethyl)phosphate	
Dermal	industrial	8 mg/kg/24h (workers) (systemic effects)	
	consumer	4 mg/kg/24h (general public) (systemic effects)	
Inhalative	industrial	22.4 mg/m3 (workers) (systemic effects)	
	consumer	11.2 mg/m3 (general public) (systemic effects)	
PNECs			
	-	enylmethanediisocyanate, isomers and homologues	
PNEC 1 r	ng/L (fresh	water)	
10	mg/L (inter	mittent release)	
0.1	l mg/L (salt	water)	
			(Contd. on page



Printing date 25.05.2023

Version number 1

Revision: 17.05.2023

Trade name: illbruck FM320

		(Contd. of page 6)
	-10-6 dimethyl ether	
	155 mg/L (fresh water)	
	60 mg/L (sewage treatment plant)	
1.5	549 mg/L (intermittent release)	
0.0	016 mg/L (salt water)	
PNEC 0.0	045 mg/kg (soil)	
0.0	069 mg/kg (sediment (salt water))	
	4733-77-4 tris(2-chloro-1-methylethyl)phosphate	
PNEC 0.6	64 mg/L (fresh water)	
0.0	064 mg/L (marine)	
PNEC 1.7	7 mg/kg dwt (soil)	
1.3	34 mg/kg dwt (sediment (salt water))	
Appropria Individua General p The usual Keep awa Immediate Wash han Avoid con Respirato In case o	sure controls ate engineering controls No further data; see item 7. al protection measures, such as personal protective equipment protective and hygienic measures: I precautionary measures are to be adhered to when handling chemicals. By from foodstuffs, beverages and feed. ely remove all soiled and contaminated clothing hds before breaks and at the end of work. Itact with the eyes and skin. Dry protection: of brief exposure or low pollution use respiratory filter device. In case of inter	ensive or longer
This prod	use self-contained respiratory protective device. luct should not be used under conditions of poor ventilation unless a protectiv te gas filter (i.e. type A1 according to standard EN 14387) is used. stection	/e mask with an
• Material c Nitrile rubl	•	
Butyl rubb		
Recomme	ended thickness of the material: \geq 0.7 mm	(Contd. on page 8)

(Contd. on page 8)



Printing date 25.05.2023

Version number 1

Revision: 17.05.2023

Trade name: illbruck FM320

(Contd. of page 7)

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

· Eye/face protection



Tightly sealed goggles

Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical	properties
General Information	
Physical state	Aerosol
· Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined.
 Melting point/freezing point: 	Not applicable, as aerosol.
	Undetermined.
· Flammability	Not applicable.
• Lower and upper explosion limit	
· Lower:	1.7 Vol % (CAS: 74-98-6 propane)
· Upper:	18.6 Vol % (CAS: 115-10-6 dimethyl ether)
· Flash point:	-97 °C (CAS: 74-98-6 propane)
 Ignition temperature: 	235 °C (CAS: 115-10-6 dimethyl ether)
 Decomposition temperature: 	Not determined.
· pH	Mixture is non-polar/aprotic.
· Viscosity:	
· Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
· water:	Immiscible / difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	8,300 hPa (CAS: 74-98-6 propane)
Density and/or relative density	
· Density at 20 °C:	0.94 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
-	(Contd. on page 9)

(Contd. on page 9)



Printing date 25.05.2023

Version number 1

Revision: 17.05.2023

Trade name: illbruck FM320

	(Contd. of page
9.2 Other information	
Appearance:	
Form:	Liquid
Important information on protection of he	ealth
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
Solvent content:	
VOC (EU)	201.7 g/l
VOC (EC)	21.45 %
Evaporation rate	Not applicable.
Information with regard to physical ha	zard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Extremely flammable aerosol. Pressurise
	container: May burst if heated.
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamn	nable
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** Stable
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 10)



Revision: 17.05.2023

Printing date 25.05.2023

Version number 1

Trade name: illbruck FM320

(Contd. of page 9) • 10.6 Hazardous decomposition products: No dangerous decomposition products known.
SECTION 11: Toxicological information
 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity
Harmful if inhaled.
· LD/LC50 values relevant for classification:
CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues
Oral LD50 >10,000 mg/kg (rat)
Dermal LD50 >10,000 mg/kg (rabbit)
CAS: 1244733-77-4 tris(2-chloro-1-methylethyl)phosphate
Oral LD50 >500 mg/kg (rat)
Skin corrosion/irritation
Causes skin irritation.
Serious eye damage/irritation
Causes serious eye irritation.
· Respiratory or skin sensitisation
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction. • Germ cell mutagenicity Based on available data, the classification criteria are not met.
· Carcinogenicity
Suspected of causing cancer.
• Reproductive toxicity Based on available data, the classification criteria are not met.
• STOT-single exposure
May cause respiratory irritation.
STOT-repeated exposure
May cause damage to organs through prolonged or repeated exposure.
· Aspiration hazard Based on available data, the classification criteria are not met.
· 11.2 Information on other hazards
· Endocrine disrupting properties
CAS: 1244733-77-4 tris(2-chloro-1-methylethyl)phosphate
SECTION 12: Ecological information
· 12.1 Toxicity
· Aquatic toxicity:
CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues
LC0/96 h >1,000 mg/L (brachydanio rerio)

EC50/24 h >1,000 mg/L (daphnia magna)

CAS: 1244733-77-4 tris(2-chloro-1-methylethyl)phosphate

LC50/96 h 51 mg/L (pimephales promelas)

(Contd. on page 11)

⁻cs



Revision: 17.05.2023

Printing date 25.05.2023

Version number 1

Trade name: illbruck FM320

(Contd. of page 10)

EC50/48 h 131 mg/L (daphnia magna)

EC50/96 h 131 mg/L (daphnia magna)

• 12.2 Persistence and degradability No further relevant information available.

• Other information: The product is not easily biodegradable.

• **12.3 Bioaccumulative potential** No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

· Ecotoxical effects:

CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues

NOEC/21 d >10 mg/L (daphnia magna)

· Other information:

This product contains no substances in Annex I to Directive EC 1005/2009 concerning ozone depleting substances

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• European v	aste catalogue
--------------	----------------

•	5
16 05 04*	gases in pressure containers (including halons) containing hazardous substances
08 05 01*	waste isocyanates
HP3	Flammable
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP7	Carcinogenic
HP13	Sensitising

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA

UN1950

(Contd. on page 12)



Printing date 25.05.2023

Version number 1

Revision: 17.05.2023

rade name: illbruck FM320	
	(Contd. of page 11
 14.2 UN proper shipping name ADR 	1950 AEROSOLS 1950 AEROSOLS
· IMDG · IATA	AEROSOLS AEROSOLS, flammable, containing substances in Division 6.1, Packing Group III
· 14.3 Transport hazard class(es)	
ADR	
Class	2 5TF Gases.
·Label	2.1+6.1
· IMDG	
· Class	2.1 Gases.
·Label	2.1/6.1
· Class · Label	2.1 Gases. 2.1 (6.1)
· 14.4 Packing group · ADR, IMDG, IATA	Void
 14.5 Environmental hazards: Marine pollutant: 	No
 14.6 Special precautions for user Hazard identification number (Kemler code): 	Warning: Gases. -
· EMS Number:	F-D,S-U
	(Contd. on page 13

Printing date 25.05.2023

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1



Revision: 17.05.2023

Trade name: illbruck FM320 (Contd. of page 12) Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. · Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. 14.7 Maritime transport in bulk according to IMO instruments Not applicable. • Transport/Additional information: · ADR · Limited quantities (LQ) 120 ml · Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity Transport category 1 Tunnel restriction code D ·IMDG · Limited quantities (LQ) 1L • Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity • UN "Model Regulation": UN 1950 AEROSOLS, 2.1 (6.1)

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture "EU-CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1)
 "EU-REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments) COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 The Endocrine Disruptor Lists I, II, III (www.edlists.org) 2001/118/EC as regards the list of wastes 2008/98/EC on waste

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

• Seveso category P3a FLAMMABLE AEROSOLS

(Contd. on page 14)



Printing date 25.05.2023

Version number 1

Revision: 17.05.2023

Trade name: illbruck FM320

(Contd. of page 13)

· Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

· Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 56a, 74

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

· Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

- · Other regulations, limitations and prohibitive regulations No further relevant information available.
- Substances of very high concern (SVHC) according to EU REACH, Article 57 Not applicable.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H220 Extremely flammable gas.
- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 15)

Page 15/15

Safety data sheet according to 1907/2006/EC, Article 31



Revision: 17.05.2023

Printing date 25.05.2023

Version number 1

Trade name:	illbruck FM320
-------------	----------------

(Contd. of page 14) H412 Harmful to aquatic life with long lasting effects. EUH204 Contains isocyanates. May produce an allergic reaction. Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Gas 1A: Flammable gases - Category 1A Aerosol 1: Aerosols – Category 1 Press. Gas (Comp.): Gases under pressure – Compressed gas Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Carc. 2: Carcinogenicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

cs